

#### Tapentadol EIA Reagent A SDS No. MS-343RAEX

## Section 1. Chemical Product and Company Identification

Product Trade Name: Tapentadol Enzyme Immunoassay, Reagent A

**Product code:** 343-0025EX, 343-0100EX, 343-0500EX

Synonyms: Antibody/Substrate Reagent; Reagent A; RA

Manufactured/ Supplied: Immunalysis Corporation

829 Towne Center Drive Pomona, CA 91767 1-909-482-0840

**Product Information:** (888) 664-8378 (In USA and Canada)

Material Uses: Diagnostic agents

# **Section 2. Hazards Identification**

Physical state Liquid

**Emergency overview:** H317 May cause an allergic skin reaction.

**GHS Label Elements**:

**Hazard Pictograms** 



Signal Word Warning

#### Potential acute health effects

**Eyes** No known significant effects or critical hazards.

**Skin** May cause sensitization by skin contact.

**Inhalation** No known significant effects or critical hazards.

**Ingestion** H303 May be harmful if swallowed.

### Potential chronic health effects

**Carcinogenic effects** No known significant effects or critical hazards.

MS-343RAEX 1 of 5

**Mutagenic effects** No known significant effects or critical hazards.

**Reproduction toxicity** No known significant effects or critical hazards.

See toxicological information (section 11)

## Section 3. Composition and Information on Ingredients

Name CAS number % by weight Description
Sodium Azide 26628-22-8 < 0.1% Substance

#### **Section 4. First Aid Measures**

**Eye contact** P305+P351+P338+P337+P313 If in eyes: Rinse cautiously with water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical attention.

**Skin contact** P332+P350+P313 If skin irritation occurs: Gently wash with plenty of soap and water. Get medical

attention if irritation occurs.

**Inhalation** P304+P341+P309+P311 P311 If inhaled: If breathing is difficult, remove victim to fresh air and

keep at rest in position comfortable for breathing. If not breathing, give artificial respiration. If

exposed or if you feel unwell, call POISON CENTER or doctor.

**Ingestion** P301+P330+P331+P314 If swallowed: Rinse mouth and drink plenty of water. Do not induce

vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

Never give anything by mouth to an unconscious person.

## **Section 5. Fire Fighting Measures**

**Flammability of the product** Non-flammable.

Fire-fighting media and

instructions

Use an extinguishing agent suitable for the surrounding fire.

**Special protective** 

equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved

or equivalent) and full protective gear.

Special remarks on fire

hazards

None

### Section 6. Accidental Release Measures

**Personal precautions** Ensure adequate ventilation. Initiate company's spill response procedures immediately. Keep people

out of area. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Methods for cleaning up** Absorb with dry earth, sand or other non-combustible material. Use a tool to scoop up solid or

absorbed material and place into appropriate labeled waste container. Dispose of in accordance with

local, state and federal regulations. Flush area with water thoroughly.

MS-343RAEX 2 of 5

## Section 7. Handling and Storage

**Handling** P264+P281 Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Take

necessary personal protective precautions before using this product.

**Storage** P404 Keep container tightly closed. Store at 2-8°C.

## **Section 8. Exposure Controls, Personal Protection**

**Engineering measures** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of

vapors below their respective occupational exposure limits.

**Personal protection** 

**Eyes** Safety glasses or goggles should be worn to prevent eye contact.

Skin Laboratory coat or other protective clothing should be worn to protect against splashes and small

spills.

Hands Impervious gloves should be worn to prevent skin contact.

**Respiratory** A respirator is not needed under normal and intended conditions of product use.

Consult local authorities for acceptable exposure limits.

## Section 9. Physical and Chemical Properties

Physical state Liquid

**Odor** Odorless

**Color** Clear to yellowish

**pH** 6.0 (Conc. (%w/w): 1) [Acidic]

**Boiling/condensation point** The lowest known value is 99.9°C (211.8°F) (water)

**Melting/freezing point** May start to solidify at -0.0°C (32°F) based on data for water.

**Specific gravity** The only known value is 1 (Water = 1) (Water).

**Vapor pressure** The highest known value is 2.4 kPa (188 mm Hg) (at 20°C) (Water).

### Section 10. Stability and Reactivity

**Stability and reactivity** The product is stable under normal conditions.

**Incompatibility** None

MS-343RAEX 3 of 5

## **Section 11. Toxicological Information**

### Toxicity data

Ingredient Name	Test	Result	Route	Species
Sodium Azide	LD50	27 mg/kg	Oral	Rat
	LD50	27 mg/kg	Oral	Mouse
	LD50	50 mg/kg	Dermal	Rat
	LD50	20 mg/kg	Dermal	Rabbit

Chronic Effects Carcinogenic Effects: Classified none by NIOSH (Sodium Azide)

# **Section 12. Ecological Information**

### **Ecotoxicity data**

Ingredient Name	Species	Period	Result
Sodium Azide	Daphnia pulex (EC50)	48 hour/hours	4.2 mg/L
	Leomis macrochirus (LC50)	96 hour/hours	0.7 mg/L

Toxicity of the products of biodegradation

The product itself and its products of degradation are not toxic.

## **Section 13. Disposal Considerations**

Waste disposal The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of

spilled material and runoff with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

## **Section 14. Transport Information**

**DOT Classification** UN Number; Not regulated

IATA-DGR Class Not regulated

MS-343RAEX 4 of 5

## **Section 15. Regulatory Information**

### **EU Additional Classification**



Hazard Pictograms: Signal Word: Warning

GHS Statements: H303 May be harmful if swallowed.

#### **US Classification and Label Text**



Hazard Pictograms:

Signal Word: Warning

GHS Statements: H303 May be harmful if swallowed.

US Statements: H290 Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides.

### United States Regulatory Information SARA Listed: No

#### **Canada Regulatory Information**

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No NDSL: No

### **Section 16. Other information**

**Date of issue** 05/2015 **Version** B.0

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Immunalysis shall not be liable for any damage resulting from handling or from contact with the above product by untrained personnel. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

MS-343RAEX 5 of 5



Tapentadol EIA Reagent E SDS No. MS-343REEX

### **Section 1. Chemical Product and Company Identification**

Product Trade Name: Tapentadol Enzyme Immunoassay, Reagent E

**Product code:** 343-0025EX, 343-0100EX, 343-0500EX

**Synonyms:** Enzyme Conjugate Reagent; Reagent E; RE

Manufactured/ Supplied: Immunalysis Corporation

829 Towne Center Drive Pomona, CA 91767 1-909-482-0840

**Product Information:** (888) 664-8378 (In USA and Canada)

Material Uses: Diagnostic agents

### Section 2. Hazards Identification

Physical state Liquid

**Emergency overview:** H317 May cause an allergic skin reaction.

**GHS Label Elements:** 

**Hazard Pictograms** 



Signal Word Warning

### Potential acute health effects

**Eyes** No known significant effects or critical hazards.

**Skin** May cause sensitization by skin contact.

**Inhalation** No known significant effects or critical hazards.

**Ingestion** H303 May be harmful if swallowed.

### Potential chronic health effects

**Carcinogenic effects** No known significant effects or critical hazards.

MS-343REEX 1 of 5

Mutagenic effects No known significant effects or critical hazards.

**Reproduction toxicity** No known significant effects or critical hazards.

See toxicological information (section 11)

## **Section 3. Composition and Information on Ingredients**

NameCAS number% by weightDescriptionSodium Azide26628-22-8< 0.1%</td>Substance

#### Section 4. First Aid Measures

**Eye contact** P305+P351+P338+P337+P313 If in eyes: Rinse cautiously with water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical attention.

**Skin contact** P332+P350+P313 If skin irritation occurs: Gently wash with plenty of soap and water. Get medical

attention if irritation occurs.

**Inhalation** P304+P341+P309+P311 P311 If inhaled: If breathing is difficult, remove victim to fresh air and

keep at rest in position comfortable for breathing. If not breathing, give artificial respiration. If

exposed or if you feel unwell, call POISON CENTER or doctor.

**Ingestion** P301+P330+P331+P314 If swallowed: Rinse mouth and drink plenty of water. Do not induce

vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved

Never give anything by mouth to an unconscious person.

## **Section 5. Fire Fighting Measures**

Flammability of the product Non-flammable.

Fire-fighting media and

instructions

Use an extinguishing agent suitable for the surrounding fire.

**Special protective** 

equipment for fire-fighters

or equivalent) and full protective gear.

Special remarks on fire

hazards

None

### Section 6. Accidental Release Measures

Personal precautions Ensure adequate ventilation. Initiate company's spill response procedures immediately. Keep people

out of area. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Methods for cleaning up** Absorb with dry earth, sand or other non-combustible material. Use a tool to scoop up solid or

absorbed material and place into appropriate labeled waste container. Dispose of in accordance with

local, state and federal regulations. Flush area with water thoroughly.

MS-343REEX 2 of 5

## Section 7. Handling and Storage

**Handling** P264+P281 Avoid prolonged or repeated contact with skin. Take necessary personal protective

precautions before using this product.

**Storage** P404 Keep container tightly closed. Store at 2-8°C.

## Section 8. Exposure Controls, Personal Protection

**Engineering measures** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of

vapors below their respective occupational exposure limits.

**Personal protection** 

**Eyes** Safety glasses or goggles should be worn to prevent eye contact.

**Skin** Laboratory coat or other protective clothing should be worn to protect against splashes and small

spills.

**Hands** Impervious gloves should be worn to prevent skin contact.

**Respiratory** A respirator is not needed under normal and intended conditions of product use.

Consult local authorities for acceptable exposure limits.

# Section 9. Physical and Chemical Properties

Physical state Liquid

**Odor** Odorless

**Color** Clear to yellowish

**pH** 8.1 (Conc. (%w/w): 1) [Basic]

**Boiling/condensation point** The lowest known value is 99.9°C (211.8°F) (water)

Melting/freezing point May start to solidify at -0.0°C (32°F) based on data for water.

**Specific gravity** The only known value is 1 (Water = 1) (Water).

**Vapor pressure** The highest known value is 2.4 kPa (188 mm Hg) (at 20°C) (Water).

### Section 10. Stability and Reactivity

**Stability and reactivity** The product is stable under normal conditions.

**Incompatibility** None

MS-343REEX 3 of 5

## **Section 11. Toxicological Information**

### Toxicity data

Ingredient Name	Test	Result	Route	Species
Sodium Azide	LD50	27 mg/kg	Oral	Rat
	LD50	27 mg/kg	Oral	Mouse
	LD50	50 mg/kg	Dermal	Rat
	LD50	20 mg/kg	Dermal	Rabbit

Chronic Effects Carcinogenic Effects: Classified none by NIOSH (Sodium Azide)

# **Section 12. Ecological Information**

### **Ecotoxicity data**

Ingredient Name	Species	Period	Result
Sodium Azide	Daphnia pulex (EC50)	48 hour/hours	4.2 mg/L
	Leomis macrochirus (LC50)	96 hour/hours	0.7 mg/L

Toxicity of the products of biodegradation

The product itself and its products of degradation are not toxic.

## **Section 13. Disposal Considerations**

Waste disposal The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of

spilled material and runoff with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

# **Section 14. Transport Information**

**DOT Classification** UN Number; Not regulated

IATA-DGR Class Not regulated

MS-343REEX 4 of 5

## **Section 15. Regulatory Information**

### **EU Additional Classification**



Hazard Pictograms: Signal Word: Warning

GHS Statements: H303 May be harmful if swallowed.

#### **US Classification and Label Text**



Hazard Pictograms: Signal Word: Warning

GHS Statements: H303 May be harmful if swallowed.

US Statements: H290 Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides.

United States Regulatory Information SARA Listed: No

### **Canada Regulatory Information**

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No NDSL: No

### Section 16. Other information

**Date of issue** 05/2015 **Version** B.0

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Immunalysis shall not be liable for any damage resulting from handling or from contact with the above product by untrained personnel. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

MS-343REEX 5 of 5