



1. Identification of substance	
REF / Article Number	4002
Name of Product	Vasculitis Pro
Manufacturer / Supplier	AESKU.DIAGNOSTICS GmbH & Co. KG Mikroforum Ring 2 55234 Wendelsheim Germany Tel.: +49-6734-9622-0 Fax: +49-6734-9622-2222 E-mail: info@aesku.com http: www.aesku.com

# 2. Hazard information

2.1 Classification of the substances or mixture		
Product is not classified as hazardous according to the European Regulation 1999/45/EC or		
1272/2008/EC. Human health hazards: No specific hazard.		
2.2 Label Elements		
Pictogram	None	
Signal Word	None	
Hazard Statement(s)	None	
Precautionary Statement(s)	None	
Supplement Hazard Statement(s)	None	
2.3 Other Hazards		
None		

3. Composition / Data on components		
Coated membrane strips:	Purified antigen coated onto membrane strips	
Blocking Reagent:	Non-fat dry milk powder for preparation of 3 x 10 ml sample buffer	
Wash buffer (20x):	Tris buffered saline with Tween 20 as detergent and sodium azide 0.09% as preservative.	
Enzyme conjugate:	Peroxidase conjugated anti-human antibody <0.0001% in phosphate buffered saline and bovine serum albumin (BSA) for stabilization.	
Substrate solution:	Aqueous solution of TMB (3,3`,5,5`-Tetramethylbenzidin) 0.04% and $H_2O_2$ < 0.01%. ProClin 300 <0.0001% as preservative.	

The bovine serum albumin was derived from bovine blood collected at USDA licensed establishment. Even though all mixtures do not meet the criteria for classification according to 1272/2008/EC we have summarized the components below for reason of completeness: According to 1907/2006/EC and amendment 453/2010/EC

MATERIAL SAFETY DATA SHEET – REF 4002



EINECS	CAS-No.	name	%	symbol	H-statements
Wash buffer	/ Enzyme Conju	gate			
247-852-1	26628-22-8	Sodium azide	<0.1		H300, H400, H410
201-064-4	77-86-1	Tris(hydroxymethyl)- aminomethan	<0.9		H315, H319
Substrate		I	I		
259-364-6	54827-17-7	3,3',5,5'- Tetramethylbenzidine	<0.04	</td <td>H301, H311, H330, H341</td>	H301, H311, H330, H341
247-500-7	26172-55-4	5-Chlor-2-methyl-4- isothiazolin-3-on	<0.01		H272, H314, H317, H334
220-239-6	2682-20-4	2-Methyl-4-isothiazolin-3- on	<0.01		H272, H314, H317, H334
231-765-0	7722-84-1	Hydrogen peroxide	<0.005		H302, H318
The full text	of H-statements	is in article 16			

4. First aid measures		
4.1 Description of First Aid measures		
General information	Consult a physician. Show this safety data sheet to the doctor in	
	attendance.	
After inhalation	If breathed in, move the concerned person into fresh air. In case of	
	apnoea, give artificial respiration. Consult a physician.	
After skin contact	Wash off with plenty of water. Consult a physician.	
After eye contact	Rinse the opened eye for several minutes with running water, if necessary	
	remove contact lenses. Consult an ophthalmologist.	
After swallowing	Never give anything by mouth to an unconscious person.	
	Rinse mouth with water, drink sufficient amount of water, consult a	
	physician.	
4.2 Most important symptoms and effects, both acute and delayed		
No data available		
4.3 Indication of any immediate medical attention and special treatment needed		
No data available		

# 5. Fire fighting measures

5.1 Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special Hazards arising from the substance or mixture

The product itself is not inflammable; extinguishing measures should therefore be prepared for an environmental fire. In case of fire toxic vapors, e.g. nitric oxide, can be released.

5.3 Advice for fire fighters

Wear breath protective mask and protective clothes if necessary during fire fighting.



6. Accidental release measure		
Person-related safety	Use personal protective equipment. Avoid breathing vapor/mist/gas. Care	
precautions	for appropriate ventilation.	
Measures for	Prevent seepage into sewage system, workpits and cellars. Do not allow to	
environmental	enter sewers/ surface or ground water.	
protection		
Measures for	Absorb with liquid-binding material (sand, diatomite, acid binders, universal	
cleaning/collecting	binders, sawdust). Dispose contaminated material as waste according to	
	item 13.	
Observe laboratory safety regulations. Avoid contact with skin and eyes. Do not swallow. Do not		

Observe laboratory safety regulations. Avoid contact with skin and eyes. Do not swallow. Do not pipette by mouth. Do not eat, drink, smoke or apply makeup in areas where specimens or kit reagents are handled. When spilled, absorb with an inert material and put the spilled material in an appropriate waste disposal.

## 7. Handling and storage

Handling:	Special measures are not required.
Storage:	Store at 2 to 8 °C. Protect from light.

8. Exposure controls and personal protection gear	
Respiratory protection:	Not required.
Hand protection:	Wear protective gloves of nitril rubber or nature latex.
Eye protection:	Wear protective glasses.

9. Physical and chemical properties		
Coated membrane strips:	Membrane strips in foil pouch.	
Blocking Reagent:	Non-fat dry milk powder for preparation sample buffer.	
Enzyme conjugate:	Colorless fluid in polyethylene bottle.	
Wash buffer (20x):	Colorless fluid in polyethylene bottle.	
Substrate solution:	Colorless fluid in polyethylene bottle.	

## **10. Stability and reactivity**

10.1. Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Light, heat, moisture (will not cause a dangerous reaction, but destroys the quality of the product).

10.5 Incompatible materials

Oxidizing agents, metals (will not cause a dangerous reaction, but destroys the quality of the product). 10.6 Hazardous decomposition products

Dangerous decomposition products are not known.

# 11. Toxicological information

Used according to intended use no toxicological reactions known.



## 12. Ecological information

Used according to intended use no ecological reactions known.

#### **13.** Disposal considerations

Waste should be disposed of in accordance with federal, state and local environmental control regulations. When disposing of conjugate solution, sample buffer or wash buffer flush drains with copious amounts of water. Disposal of packaging according to the instructions of the public authorities.

# 14. Transport information

This product is not subject to official transport regulations.

## 15. Regulations

Tornegulations	
1907/2006/EC	Registration, evaluation and authorization of chemicals regulation (REACH)
1272/2008/EC	Classification, labelling and packaging regulation (CLP, globally harmonized system
	GHS) replaces 67/548/EWG and 1999/45/EC, amending 1907/2006/EC
453/2010/EC	Compilation of safety data sheets regulation (SDS), amending 1907/2006/EC
This product is not classified according to the EU regulations 1272/2008. No labeling requirement.	

#### 16. Other information

Revision according to 453/2010 EU.

All mixtures do not meet the criteria for classification according to 1272/2008/EC.

Safety data for product including all components. This product is intended for professional laboratory use. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Full text to the H-statements mentioned in heading 3:
- H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

The REACH registration numbers is not available as the substances or its use is exempted from registration according to article 2 REACH Regulation EC 1907/2006, or the annual tonnage does not require a registration and is envisaged for a later registration deadline.

#### Department issuing MSDS

Quality control Date of issue: 15-09-2016